

MP-IO-500H

2.5 INCH 4X Zoom Network MINI PTZ Dome Camera



Model Number	MP-IO-500H
Camera	
Image Sensor	1/2.8" SONY CMOS
Resolution	5.0MP 2592 (H) X 1944(V)
Code Format	H265/H264
Code Rate	32Kbps~8192Kbps adjustable
Video Resolution	Main stream:2304x1296@30fps,2592x1520@22fps,2592x1944@15fps; Sub-stream: 640x480,352x288,176x144
Audio compression standard	G711,PCM
Min. Illumination	Color: 0.1Lux @F1.2, 0.01LUX/F1.2 WITH IR ON (BW)
Day & Night Mode	Color/B&W/Intelligent model
IR board	2PCS IR Array LEDs
IR Distance	30m IR distance
Lens	
Lens	4X Optical Zoom, Auto-Focus 2.8-12mm lens
Iris	F14

Optical Zoom	4X
Pan View Angle	89° (near) – 29° (far)
PTZ	
Pan	0°~355°, Horizontal
Horizontal speed	Level keying speed: 30°/ s
Tilt	0°~90°, Vertical
Vertical Speed	Vertical keying speed: 20°/ s
Preset	128 PCS
cruise	Support
Pattern Scan	1 groups
Function	
S/N	≥48dB (AGC off)
Audio	Built-in microphone and speaker
Motion Detection	Support
Alarm linkage	The mobile detection alarm is pushed to the APP
WDR	Digital WDR
DNR	2D /3D DNR
BLC	Auto/manual
Exposure	Auto
Mirror Image	Flip horizontal/vertical
NETWORK	
Network Protocol	TCP/IP,HTTP,NTP,IGMP,DHCP,UDP,SMTP,RTP,RTSP,ARP,DDNS,DNS,HTTPS,P2P
Web Access	Support IE,, Built-in web server to facilitate the user to use the standard IE browser to achieve the front end of the real-time browsing and setting management
ONVIF	Support
Mobile Remote Control	Support Android & iOS system mobile to access
PC	Support
Interface	
Network Interface	1*RJ45 10M/100M Ethernet Port
Power	1cps DC female head
Audio	No(Built-in microphone and speaker)
Storage	No(Optional)
General	
Power	DC12V2A
POE	No(Optional)
Working Temperature	-20 °C to 60 °C
Working Humidity	<90% (no frostless)
Power Consumption	Max 10W

Housing	Metal PTZ Dome
Protection	TVS3000V lightning protection, surge protection, voltage transient protection
Weather Proof	IP66

USA Office Contact:

MAPESEN INTERNATIONAL INC.
Email:info@mapesen.com
Direct Line:+1 (562) 2399826
Main office:6676N.BAIN AVE
PRESNO CA 93722

P.R.C Contact:

Email:info@mapesen.com
TEL:+86 755 89345865
Direct Line:0086 755 89345865
Main Office:
B2-2,Zone B,Tweleve Oaks
Manor,South Bulong Rd,Longgang
District Shengzhen China

